

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

COPY

In re Patent Application of
THOMASSET

Serial No. 10/591,127

Filed: August 30, 2006

For: MULTILAYER DOSE



Confirmation No.: 7341

Atty. Ref.: DMB-2590-167

TC/A.U.: 1782

Examiner: Ellen S. Wood

* * * * *

February 17, 2011

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO/SB/08a. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The references identified on the PTO/SB/08a form were cited in a Japanese application corresponding to the subject U.S. patent application. The four references identified on the attached PTO/SB08a form were cited in a Japanese Office Action that issued on December 9, 2010 (less than three months ago) in a Japanese patent application corresponding to the subject U.S. patent application. Thus, no USPTO fee is required because this information just came to the attention of the applicant and its representatives within three months from the filing of this IDS.

The Examiner is requested to initial the attached form PTO/SB/08a and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

THOMASSET


Serial No. 10/591,127

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____



Duane M. Byers

Reg. No. 33,363

DMB:lfo

901 North Glebe Road, 11th Floor

Arlington, VA 22203-1808

Telephone: (703) 816-4000

Facsimile: (703) 816-4100